



Technical Information for Turkey Rule Development



Survey and Harvest Data

Turkey management remains centered on monitoring harvest, density, and distribution reports from hunters and field staff. Populations are present throughout New Mexico's mountain ranges and river valleys. Turkey population surveys are not conducted. The turkey mating system is polygamous, thus one gobbler will breed with many hens. Spring harvest strategies are designed to remove males following hens being bred. Spring turkey season should open just prior to the onset of incubation. This ensures that the greatest number of hens will have been bred by the adult males, while also providing a quality hunt experience as males will still be displaying. Using this strategy, spring gobbler harvest should have minimal effect on populations growth rates, as males play no role in rearing young. Though some spring gobbler harvest is sustainable, studies have shown that a spring harvest of >30% of the male population could negatively influence population growth rates. In contrast, turkey populations are sensitive to adult hen mortality, and either-sex fall harvest can directly impact population growth rates. Fall harvest of >10% of the population will likely lead to decreases in population size. Currently, hunter demand for fall harvest in New Mexico is fairly low and the bag limit is set to 1 to protect populations from over-harvest.

New Mexico turkey hunting license sales and reported harvests

| <i>Year</i> | <i>Spring Licenses Sold</i> | <i>Reported Spring Harvest</i> | <i>Fall Licenses Sold</i> | <i>Reported Fall Harvest</i> |
|-------------|-----------------------------|--------------------------------|---------------------------|------------------------------|
| 2011* | 9,656 | 624 | 2,431 | 45 |
| 2012* | 8,524 | 540 | 2,828 | 240 |
| 2013 | 9,284 | 1,459 | 2,989 | 258 |
| 2014 | 8,916 | 1,960 | 3,336 | 555 |
| 2015 | 9,462 | 2,155 | 3,790 | 556 |
| 2016 | 10,159 | 2,339 | 3,842 | 427 |

* Online reporting was voluntary in 2011 and 2012

2016-17 New Mexico Spring Turkey Hunter Harvest Report- Statewide by GMU

| <i>GMU</i> | <i>Hunters</i> | <i>Days Hunted</i> | <i>Harvest</i> | <i>% of Beards >4"</i> | <i>First Turkey</i> | <i>Success on First Harvest</i> | <i>Second Turkey</i> | <i>Hunter Rating</i> |
|------------|----------------|--------------------|----------------|---------------------------|---------------------|---------------------------------|----------------------|----------------------|
| 1* | 21 | 67 | 4 | 75% | 4 | 19% | | 2.8 |
| 2 | 232 | 793 | 93 | 73% | 79 | 34.1% | 14 | 3.7 |
| 3* | 7 | 33 | 0 | | 0 | 0% | | 3.6 |
| 4 | 100 | 288 | 42 | 88% | 34 | 34% | 8 | 3.8 |
| 5 | 164 | 524 | 31 | 94% | 28 | 17.1% | 3 | 3.3 |
| 6 | 782 | 2802 | 151 | 90% | 127 | 16.2% | 24 | 3.3 |
| 7 | 8 | 38 | 1 | 0% | 1 | 12.5% | | 2.4 |
| 8 | 9 | 46 | 2 | 100% | 2 | 22.2% | | 3.3 |
| 9 | 222 | 732 | 43 | 74% | 35 | 15.8% | 8 | 3.4 |
| 10 | 297 | 1198 | 59 | 71% | 49 | 16.5% | 10 | 3.3 |
| 11* | 1 | 2 | 0 | | 0 | 0% | | 3 |
| 12 | 11 | 46 | 2 | 100% | 2 | 18.2% | | 3.8 |
| 13 | 62 | 180 | 12 | 75% | 10 | 16.1% | 2 | 3.2 |
| 14 | 346 | 1150 | 79 | 66% | 64 | 18.5% | 15 | 3.3 |
| 15 | 347 | 1289 | 86 | 80% | 70 | 20.1% | 16 | 3.4 |
| 16 | 1131 | 3968 | 414 | 99% | 326 | 28.8% | 88 | 3.7 |
| 17 | 97 | 395 | 28 | 75% | 23 | 23.7% | 5 | 3.2 |
| 18 | 24 | 78 | 5 | 60% | 3 | 12.5% | 2 | 3.1 |
| 19 | 1 | 3 | 0 | | 0 | 0% | | 1 |
| 20 | 26 | 49 | 9 | 44% | 8 | 30.8% | 1 | 3 |
| 21 | 104 | 327 | 40 | 83% | 35 | 33.7% | 5 | 3.5 |
| 22 | 16 | 81 | 4 | 100% | 4 | 25% | | 4 |
| 23 | 112 | 446 | 38 | 79% | 30 | 26.8% | 8 | 3.4 |
| 24 | 280 | 1056 | 92 | 82% | 76 | 27.1% | 16 | 3.4 |
| 25 | 3 | 5 | 0 | | 0 | 0% | | 2.3 |
| 26 | 1 | 2 | 0 | | 0 | 0% | | 5 |
| 28 | 2 | 5 | 0 | | 0 | 0% | | 2 |
| 29 | 1 | 3 | 0 | | 0 | 0% | | 4 |
| 30 | 5 | 15 | 1 | 0% | 1 | 20% | | 3.4 |
| 31 | 3 | 10 | 1 | 100% | 1 | 33.3% | | 3 |
| 32 | 51 | 108 | 31 | 58% | 24 | 47.1% | 7 | 3.8 |
| 33 | 5 | 15 | 3 | 67% | 3 | 60% | | 4 |
| 34 | 1186 | 3832 | 345 | 82% | 277 | 23.4% | 68 | 3.5 |
| 35* | 5 | 21 | 1 | 100% | 1 | 20% | | 3.2 |
| 36 | 318 | 1043 | 106 | 86% | 82 | 25.8% | 24 | 3.6 |
| 37 | 212 | 737 | 68 | 82% | 58 | 27.4% | 10 | 3.5 |

| | | | | | | | | |
|--------------|--------------|---------------|--------------|--------------|--------------|--------------|------------|------------|
| 38 | 26 | 78 | 8 | 88% | 6 | 23.1% | 2 | 3.3 |
| 39 | 50 | 91 | 35 | 71% | 25 | 50% | 10 | 4.3 |
| 40 | 30 | 56 | 19 | 84% | 15 | 50% | 4 | 3.8 |
| 41 | 15 | 26 | 13 | 54% | 10 | 66.7% | 3 | 3.9 |
| 42 | 88 | 209 | 67 | 82% | 45 | 51.1% | 22 | 4.3 |
| 43 | 42 | 120 | 14 | 86% | 12 | 28.6% | 2 | 3.6 |
| 44 | 3 | 10 | 1 | 100% | 1 | 33.3% | | 3.3 |
| 45 | 433 | 1665 | 134 | 79% | 111 | 25.6% | 23 | 3.4 |
| 46 | 84 | 277 | 49 | 73% | 37 | 44% | 12 | 4 |
| 47 | 20 | 41 | 14 | 79% | 12 | 60% | 2 | 3.8 |
| 48 | 73 | 226 | 42 | 74% | 35 | 47.9% | 7 | 3.7 |
| 49 | 152 | 677 | 67 | 82% | 49 | 32.2% | 18 | 3.7 |
| 50 | 3 | 9 | 1 | 0% | 1 | 33.3% | | 3.7 |
| 51 | 182 | 700 | 37 | 89% | 34 | 18.7% | 3 | 3.4 |
| 52 | 53 | 193 | 19 | 84% | 14 | 26.4% | 5 | 3.4 |
| 53 | 41 | 174 | 11 | 82% | 9 | 22% | 2 | 3.4 |
| 54 | 23 | 52 | 13 | 92% | 10 | 43.5% | 3 | 4.1 |
| 55 | 90 | 206 | 66 | 92% | 47 | 52.2% | 19 | 4.4 |
| 56 | 22 | 57 | 16 | 88% | 13 | 59.1% | 3 | 4.2 |
| 57 | 91 | 274 | 53 | 83% | 39 | 42.9% | 14 | 3.9 |
| 58 | 38 | 72 | 30 | 87% | 19 | 50% | 11 | 4.7 |
| 59 | 22 | 48 | 16 | 69% | 13 | 59.1% | 3 | 4 |
| UNK | 7 | 4 | 1 | 100% | 0 | 0% | 1 | 4.3 |
| TOTAL | 6,461 | 24,924 | 2,339 | 80.9% | 1,873 | 80.1% | 466 | 3.5 |

* These GMUs are in Reservation lands, and not under the jurisdiction of New Mexico Game and Fish. Hunters may have misreported GMU of harvest, or reported a harvest from a Reservation Permit.

2016-17 New Mexico Fall Turkey Hunter Harvest Report- Statewide by GMU

| GMU | Hunters | Days Hunted | Harvest | Hunter Rating | Success Rates | Hens | Gobblers | Sept | Nov |
|-----|---------|-------------|---------|---------------|---------------|------|----------|------|-----|
| 1* | 8 | 30 | 0 | 2.3 | 0% | 0 | 0 | 0 | 0 |
| 2 | 56 | 231 | 20 | 3.1 | 35.7% | 4 | 16 | 0 | 20 |
| 3* | 3 | 18 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |
| 4** | 2 | 5 | 0 | 1 | 0% | 0 | 0 | 0 | 0 |
| 5 | 60 | 297 | 2 | 3.1 | 3.3% | 1 | 1 | 1 | 1 |
| 6 | 324 | 1024 | 37 | 3.2 | 11.4% | 18 | 19 | 2 | 35 |
| 7 | 4 | 24 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |
| 8** | 3 | 5 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |

| | | | | | | | | | |
|------|-----|------|----|-----|-------|----|----|---|----|
| 9 | 142 | 596 | 25 | 3.1 | 17.6% | 13 | 12 | 5 | 20 |
| 10 | 129 | 532 | 24 | 3 | 18.6% | 15 | 9 | 2 | 22 |
| 12 | 3 | 6 | 0 | 3.3 | 0% | 0 | 0 | 0 | 0 |
| 13 | 31 | 110 | 1 | 2.8 | 3.2% | 1 | 0 | 0 | 1 |
| 14** | 4 | 8 | 0 | 3.5 | 0% | 0 | 0 | 0 | 0 |
| 15 | 109 | 461 | 14 | 3.1 | 12.8% | 6 | 8 | 1 | 13 |
| 16 | 300 | 1256 | 52 | 3.3 | 17.3% | 22 | 30 | 3 | 49 |
| 17 | 22 | 68 | 1 | 2.8 | 4.5% | 0 | 1 | 0 | 1 |
| 18** | 5 | 13 | 1 | 3.4 | 20% | 1 | 0 | 0 | 1 |
| 19** | 1 | 1 | 0 | 2 | 0% | 0 | 0 | 0 | 0 |
| 20** | 2 | 4 | 0 | 3.5 | 0% | 0 | 0 | 0 | 0 |
| 21 | 51 | 199 | 8 | 2.8 | 15.7% | 4 | 4 | 2 | 6 |
| 22 | 11 | 44 | 3 | 2.5 | 27.3% | 2 | 1 | 0 | 3 |
| 23 | 66 | 305 | 5 | 3.1 | 7.6% | 1 | 4 | 0 | 5 |
| 24 | 85 | 236 | 23 | 3.4 | 27.1% | 13 | 10 | 0 | 23 |
| 25** | 2 | 7 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |
| 26** | 4 | 11 | 1 | 3 | 25% | 0 | 1 | 0 | 1 |
| 29 | 1 | 3 | 0 | 5 | 0% | 0 | 0 | 0 | 0 |
| 30** | 3 | 3 | 1 | 2.7 | 33.3% | 1 | 0 | 0 | 1 |
| 32 | 19 | 63 | 6 | 3.6 | 31.6% | 1 | 5 | 1 | 5 |
| 34 | 410 | 1370 | 85 | 3.3 | 20.7% | 51 | 34 | 7 | 78 |
| 36 | 108 | 416 | 29 | 3.4 | 26.9% | 11 | 18 | 1 | 28 |
| 37 | 80 | 298 | 18 | 3.3 | 22.5% | 13 | 5 | 2 | 16 |
| 38** | 4 | 14 | 0 | 2.8 | 0% | 0 | 0 | 0 | 0 |
| 39** | 3 | 6 | 0 | 2.3 | 0% | 0 | 0 | 0 | 0 |
| 40 | 10 | 16 | 6 | 3.7 | 60% | 0 | 6 | 0 | 6 |
| 41 | 2 | 4 | 2 | 5 | 100% | 1 | 1 | 1 | 1 |
| 42 | 16 | 38 | 12 | 3.8 | 75% | 6 | 6 | 0 | 12 |
| 43** | 2 | 5 | 0 | 2.5 | 0% | 0 | 0 | 0 | 0 |
| 45 | 112 | 460 | 26 | 3 | 23.2% | 13 | 13 | 1 | 25 |
| 46 | 15 | 43 | 5 | 3.4 | 33.3% | 2 | 3 | 0 | 5 |
| 47 | 1 | 1 | 0 | 2 | 0% | 0 | 0 | 0 | 0 |
| 48 | 22 | 84 | 3 | 2.8 | 13.6% | 1 | 2 | 1 | 2 |
| 49** | 3 | 6 | 0 | 3.7 | 0% | 0 | 0 | 0 | 0 |
| 51** | 9 | 26 | 1 | 2.9 | 11.1% | 1 | 0 | 0 | 1 |
| 52** | 7 | 21 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |
| 53** | 1 | 3 | 0 | 3 | 0% | 0 | 0 | 0 | 0 |
| 54 | 6 | 20 | 2 | 3.8 | 33.3% | 1 | 1 | 0 | 2 |
| 55 | 12 | 58 | 6 | 4.3 | 50% | 2 | 4 | 0 | 6 |
| 56 | 4 | 8 | 2 | 4.5 | 50% | 1 | 1 | 0 | 2 |

| | | | | | | | | | |
|--------------|--------------|--------------|------------|-------------|--------------|------------|------------|-----------|------------|
| 57 | 18 | 76 | 6 | 4 | 33.3% | 4 | 2 | 0 | 6 |
| 58 | 3 | 11 | 0 | 3.7 | 0% | 0 | 0 | 0 | 0 |
| 59 | 1 | 1 | 0 | 5 | 0% | 0 | 0 | 0 | 0 |
| UNK | 2 | 0 | 0 | 3.5 | 0% | 0 | 0 | 0 | 0 |
| TOTAL | 2,212 | 8,545 | 427 | 3.18 | 19.3% | 210 | 217 | 36 | 391 |

* These GMUs are in Reservation lands, and not under the jurisdiction of New Mexico Game and Fish. Hunters may have misreported GMU of harvest, or reported a harvest from a Reservation Permit.

** These GMUs are closed to fall turkey hunting. Hunters may have misreported GMU of harvest.

2015-16 New Mexico Spring Turkey Hunter Harvest Report- Statewide by GMU

| <i>GMU</i> | <i>Hunters</i> | <i>Days Hunted</i> | <i>Harvest</i> | <i>% of Beards >4"</i> | <i>First Turkey</i> | <i>Success on First Harvest</i> | <i>Second Turkey</i> | <i>Hunter Rating</i> |
|------------|----------------|--------------------|----------------|---------------------------|---------------------|---------------------------------|----------------------|----------------------|
| 1* | 37 | 128 | 4 | 100% | 4 | 11% | 0 | 3.1 |
| 2 | 222 | 853 | 78 | 79% | 63 | 32% | 15 | 3.5 |
| 3* | 10 | 31 | 2 | 100% | 2 | 20% | 0 | 3.2 |
| 4 | 112 | 327 | 34 | 91% | 29 | 28% | 5 | 3.6 |
| 5 | 161 | 529 | 24 | 75% | 23 | 16% | 1 | 3.2 |
| 6 | 886 | 3173 | 147 | 84% | 128 | 16% | 18 | 3.2 |
| 7 | 11 | 29 | 2 | 100% | 2 | 18% | 0 | 3.3 |
| 8 | 13 | 55 | 3 | 100% | 3 | 27% | 0 | 4.2 |
| 9 | 245 | 889 | 56 | 73% | 46 | 21% | 10 | 3.4 |
| 10 | 329 | 1314 | 51 | 80% | 46 | 15% | 5 | 3.1 |
| 11* | 6 | 13 | 1 | 100% | 1 | 17% | 0 | 3 |
| 12 | 22 | 103 | 2 | 100% | 2 | 11% | 0 | 3.1 |
| 13 | 76 | 269 | 6 | 67% | 5 | 7% | 1 | 3 |
| 14 | 314 | 1130 | 47 | 77% | 38 | 13% | 9 | 3.2 |
| 15 | 413 | 1531 | 120 | 88% | 99 | 27% | 21 | 3.4 |
| 16 | 688 | 2424 | 209 | 77% | 168 | 29% | 40 | 3.4 |
| 17 | 113 | 411 | 27 | 70% | 22 | 22% | 5 | 3.1 |
| 18 | 22 | 73 | 9 | 89% | 8 | 40% | 1 | 3.2 |
| 19 | 5 | 12 | 3 | 100% | 2 | 50% | 1 | 3.6 |
| 20 | 19 | 48 | 3 | 100% | 3 | 17% | 0 | 3 |
| 21 | 102 | 333 | 38 | 68% | 33 | 38% | 6 | 3.7 |
| 22 | 13 | 43 | 5 | 80% | 5 | 42% | 0 | 3.5 |
| 23 | 136 | 490 | 41 | 90% | 33 | 29% | 8 | 3.4 |
| 24 | 250 | 1062 | 76 | 80% | 59 | 27% | 17 | 3.4 |
| 25 | 2 | 8 | 0 | | 0 | 0% | 0 | 4 |
| 26 | 5 | 13 | 0 | | 0 | 0% | 0 | 2.8 |
| 29 | 1 | 4 | 0 | | 0 | 0% | 0 | 3 |
| 30 | 6 | 11 | 2 | 50% | 2 | 40% | 0 | 2.7 |
| 31 | 6 | 17 | 1 | 100% | 1 | 17% | 0 | 2.3 |

| | | | | | | | | |
|--------------|--------------|---------------|--------------|------------|--------------|---------------|------------|-------------|
| 32 | 39 | 99 | 18 | 44% | 14 | 41% | 4 | 3.5 |
| 33 | 7 | 12 | 4 | 100% | 3 | 50% | 1 | 3.7 |
| 34 | 1288 | 4365 | 308 | 82% | 266 | 21% | 42 | 3.4 |
| 35* | 18 | 59 | 5 | 100% | 3 | 19% | 2 | 3.5 |
| 36 | 348 | 1134 | 115 | 77% | 97 | 32% | 18 | 3.5 |
| 37 | 186 | 597 | 48 | 77% | 36 | 23% | 12 | 3.3 |
| 38 | 24 | 41 | 4 | 75% | 2 | 12% | 2 | 2.5 |
| 39 | 39 | 81 | 22 | 59% | 14 | 48% | 8 | 4 |
| 40 | 14 | 20 | 8 | 25% | 7 | 54% | 1 | 3.4 |
| 41 | 11 | 26 | 3 | 67% | 3 | 30% | 0 | 4 |
| 42 | 66 | 138 | 44 | 61% | 32 | 62% | 12 | 4 |
| 43 | 36 | 140 | 7 | 57% | 7 | 22% | 0 | 2.9 |
| 44 | 2 | 10 | 0 | | 0 | 0% | 0 | 2 |
| 45 | 391 | 1343 | 120 | 77% | 94 | 27% | 26 | 3.4 |
| 46 | 105 | 321 | 41 | 83% | 33 | 35% | 8 | 3.7 |
| 47 | 21 | 56 | 7 | 86% | 7 | 35% | 0 | 3.2 |
| 48 | 69 | 268 | 29 | 90% | 24 | 40% | 5 | 3.4 |
| 49 | 120 | 524 | 51 | 78% | 40 | 40% | 11 | 3.7 |
| 50 | 2 | 3 | 0 | | 0 | 0% | 0 | 4 |
| 51 | 196 | 717 | 56 | 86% | 47 | 28% | 9 | 3.6 |
| 52 | 75 | 262 | 14 | 93% | 12 | 18% | 2 | 3.5 |
| 53 | 48 | 223 | 12 | 75% | 10 | 26% | 2 | 3.4 |
| 54 | 38 | 82 | 22 | 77% | 13 | 52% | 9 | 3.8 |
| 55 | 129 | 311 | 92 | 91% | 66 | 70% | 27 | 4.3 |
| 56 | 14 | 27 | 9 | 89% | 6 | 55% | 3 | 4.2 |
| 57 | 104 | 348 | 70 | 80% | 51 | 61% | 19 | 4.1 |
| 58 | 47 | 118 | 30 | 93% | 23 | 64% | 7 | 4.3 |
| 59 | 25 | 35 | 22 | 82% | 12 | 80% | 10 | 4.4 |
| UNK | 8 | 8 | 3 | 100% | 1 | 17% | 2 | 4 |
| TOTAL | 8,772 | 26,706 | 2,155 | 80% | 1,750 | 25.80% | 405 | 3.41 |

* These GMUs are in Reservation lands, and not under the jurisdiction of New Mexico Game and Fish. Hunters may have misreported GMU of harvest, or reported a harvest from a Reservation Permit.

2015-16 New Mexico Fall Turkey Hunter Harvest Report- Statewide by GMU

| GMU | Hunters | Days Hunted | Harvest | Hunter Rating | Success Rates | Hens | Gobblers | Sept | Nov |
|-----|---------|-------------|---------|---------------|---------------|------|----------|------|-----|
| 1* | 11 | 25 | 0 | 1.8 | 0% | | | | |
| 2 | 58 | 167 | 11 | 3.3 | 19% | 5 | 6 | | 13 |
| 3* | 1 | 10 | 0 | 3 | 0% | | | | |
| 4 | 4 | 7 | 2 | 2.3 | 50% | 2 | | | 2 |
| 5 | 41 | 184 | 3 | 3.2 | 7% | 2 | 2 | 3 | 1 |
| 6 | 269 | 923 | 39 | 3.2 | 14% | 15 | 24 | 6 | 32 |

| | | | | | | | | | |
|-----|-----|------|-----|-----|------|-----|----|---|-----|
| 7 | 4 | 12 | 2 | 2.8 | 50% | | 2 | 1 | 1 |
| 8 | 2 | 5 | 0 | 2 | 0% | | | | |
| 9 | 132 | 488 | 22 | 3.3 | 17% | 11 | 11 | | 22 |
| 10 | 122 | 472 | 20 | 3 | 16% | 6 | 14 | 3 | 17 |
| 11* | 4 | 24 | 0 | 3.8 | 0% | | | | |
| 12 | 5 | 45 | 1 | 2.6 | 20% | 1 | | | 1 |
| 13 | 39 | 207 | 3 | 2.9 | 8% | | 3 | 2 | 1 |
| 14 | 6 | 14 | 0 | 2.5 | 0% | | | | |
| 15 | 99 | 411 | 17 | 2.9 | 17% | 11 | 6 | 2 | 15 |
| 16 | 299 | 1487 | 62 | 3.2 | 21% | 20 | 42 | 9 | 51 |
| 17 | 30 | 83 | 0 | 2.7 | 0% | | | | |
| 18 | 2 | 9 | 0 | 3 | 0% | | | | |
| 20 | 2 | 18 | 0 | 3 | 0% | | | | |
| 21 | 51 | 181 | 14 | 3.2 | 27% | 2 | 12 | 1 | 13 |
| 22 | 11 | 44 | 4 | 3.3 | 36% | 1 | 3 | 1 | 3 |
| 23 | 80 | 293 | 24 | 3.4 | 30% | 9 | 15 | 3 | 21 |
| 24 | 77 | 272 | 22 | 3.5 | 29% | 10 | 12 | 2 | 19 |
| 26 | 3 | 11 | 1 | 3.3 | 33% | 1 | | | 1 |
| 28 | 1 | 2 | 0 | 1 | 0% | | | | |
| 29 | 2 | 2 | 2 | 5 | 100% | 1 | 1 | | 2 |
| 30 | 3 | 12 | 1 | 3.7 | 33% | | 1 | | 1 |
| 32 | 24 | 62 | 9 | 3.2 | 38% | 7 | 2 | 3 | 6 |
| 33 | 1 | 2 | 0 | 1 | 0% | | | | |
| 34 | 460 | 1416 | 148 | 3.5 | 32% | 109 | 39 | 5 | 149 |
| 35* | 3 | 4 | 0 | 3.0 | 0% | | | | |
| 36 | 115 | 397 | 40 | 3.5 | 35% | 24 | 16 | 4 | 37 |
| 37 | 69 | 257 | 19 | 3.5 | 28% | 7 | 12 | | 18 |
| 38 | 1 | 4 | 0 | 2 | 0% | | | | |
| 40 | 9 | 19 | 6 | 3.9 | 67% | 5 | 1 | 1 | 5 |
| 41 | 5 | 10 | 3 | 4.2 | 60% | 2 | 1 | | 3 |
| 42 | 20 | 48 | 12 | 4 | 60% | 7 | 5 | | 12 |
| 43 | 7 | 22 | 2 | 3.3 | 29% | 2 | | | 2 |
| 45 | 130 | 492 | 29 | 3.3 | 22% | 12 | 17 | 5 | 25 |
| 46 | 19 | 59 | 4 | 3.3 | 21% | 2 | 2 | 1 | 3 |
| 47 | 4 | 14 | 3 | 4.8 | 75% | | 3 | 2 | 1 |
| 48 | 25 | 113 | 4 | 3.5 | 16% | 2 | 2 | 1 | 3 |
| 49 | 8 | 42 | 3 | 3.5 | 38% | 3 | | 1 | 2 |
| 50 | 1 | 2 | 0 | 3 | 0% | | | | |
| 51 | 11 | 37 | 0 | 3 | 0% | | | | |
| 52 | 8 | 28 | 1 | 3.6 | 13% | 1 | | 1 | |

| | | | | | | | | | |
|--------------|--------------|--------------|------------|-------------|--------------|------------|------------|-----------|------------|
| 53 | 6 | 15 | 0 | 2.5 | 0% | | | | |
| 54 | 3 | 21 | 1 | 3.3 | 33% | | 1 | 1 | |
| 55 | 10 | 24 | 4 | 3.7 | 40% | 2 | 2 | 1 | 3 |
| 56 | 6 | 13 | 2 | 3.5 | 33% | | 2 | | 2 |
| 57 | 20 | 73 | 12 | 3.9 | 60% | 3 | 9 | 2 | 10 |
| 58 | 1 | 1 | 1 | 5 | 100% | 1 | | | 1 |
| 59 | 2 | 3 | 2 | 4 | 100% | 1 | 1 | | 2 |
| UNK | 1 | 1 | 1 | 1 | 100% | | | | 1 |
| TOTAL | 2,327 | 8,695 | 556 | 3.48 | 23.9% | 347 | 209 | 61 | 495 |

* These GMUs are in Reservation lands, and not under the jurisdiction of New Mexico Game and Fish. Hunters may have misreported GMU of harvest, or reported a harvest from a Reservation Permit.

2014-15 New Mexico Spring Turkey Hunter Harvest Report- Statewide by GMU

| <i>GMU</i> | <i>Hunters</i> | <i>Days Hunted</i> | <i>Harvest</i> | <i>% of Beards >4"</i> | <i>First Turkey</i> | <i>Success on First Harvest</i> | <i>Second Turkey</i> | <i>Hunter Rating</i> |
|------------|----------------|--------------------|----------------|---------------------------|---------------------|---------------------------------|----------------------|----------------------|
| 2 | 172 | 643 | 57 | 63% | 52 | 30% | 5 | 3.3 |
| 4 | 90 | 320 | 40 | 63% | 35 | 39% | 5 | 3.7 |
| 5 | 118 | 427 | 32 | 63% | 28 | 24% | 4 | 3.3 |
| 6 | 727 | 2745 | 153 | 67% | 133 | 18% | 20 | 3.2 |
| 7 | 13 | 38 | 8 | 75% | 7 | 54% | 1 | 3.7 |
| 8 | 8 | 21 | 0 | | | 0% | | 2.9 |
| 9 | 205 | 816 | 41 | 68% | 33 | 16% | 8 | 3.2 |
| 10 | 287 | 1370 | 67 | 75% | 57 | 20% | 10 | 3.2 |
| 12 | 15 | 65 | 3 | 100% | 3 | 20% | | 3.3 |
| 13 | 47 | 199 | 6 | 100% | 6 | 13% | | 3 |
| 14 | 260 | 926 | 59 | 70% | 48 | 19% | 11 | 3.2 |
| 15 | 310 | 1350 | 126 | 74% | 106 | 34% | 20 | 3.5 |
| 16 | 527 | 2172 | 173 | 82% | 148 | 28% | 25 | 3.5 |
| 17 | 78 | 340 | 21 | 81% | 18 | 23% | 3 | 3.1 |
| 18 | 24 | 75 | 7 | 71% | 6 | 25% | 1 | 3.1 |
| 19 | 2 | 8 | 2 | 50% | 2 | 100% | | 4 |
| 20 | 14 | 41 | 8 | 63% | 7 | 50% | 1 | 3.9 |
| 21 | 72 | 267 | 23 | 83% | 20 | 28% | 3 | 3.3 |
| 22 | 11 | 43 | 4 | 100% | 4 | 36% | | 3.9 |
| 23 | 97 | 377 | 30 | 73% | 26 | 27% | 4 | 3.2 |
| 24 | 271 | 1026 | 70 | 76% | 61 | 23% | 9 | 3.2 |
| 27 | 1 | 2 | 1 | 100% | 1 | 100% | | 4 |
| 28 | 1 | 5 | 0 | | | 0% | | 2 |
| 30 | 3 | 8 | 2 | 50% | 1 | 33% | 1 | 3.3 |
| 31 | 3 | 21 | 0 | | | 0% | | 5 |
| 32 | 27 | 86 | 20 | 80% | 18 | 67% | 2 | 3.6 |

| | | | | | | | | |
|--------------|--------------|---------------|--------------|--------------|--------------|------------|------------|-------------|
| 33 | 2 | 3 | 1 | 0% | 1 | 50% | | 3 |
| 34 | 1096 | 3910 | 342 | 74% | 279 | 26% | 63 | 3.3 |
| 36 | 307 | 1155 | 117 | 70% | 93 | 30% | 24 | 3.5 |
| 37 | 165 | 607 | 47 | 77% | 37 | 22% | 10 | 3.3 |
| 38 | 18 | 42 | 5 | 40% | 4 | 22% | 1 | 3.1 |
| 39 | 19 | 60 | 3 | 67% | 3 | 16% | | 3.5 |
| 40 | 11 | 25 | 6 | 83% | 5 | 46% | 1 | 2.8 |
| 41 | 9 | 30 | 3 | 100% | 3 | 33% | | 3.4 |
| 42 | 53 | 159 | 21 | 76% | 17 | 32% | 4 | 3 |
| 43 | 22 | 85 | 8 | 88% | 7 | 32% | 1 | 2.9 |
| 44 | 2 | 8 | 0 | | | 0% | | 2 |
| 45 | 336 | 1457 | 90 | 63% | 74 | 22% | 16 | 3.3 |
| 46 | 64 | 209 | 26 | 65% | 23 | 36% | 3 | 3.6 |
| 47 | 18 | 53 | 14 | 64% | 9 | 50% | 5 | 3.7 |
| 48 | 52 | 225 | 25 | 80% | 21 | 40% | 4 | 3.6 |
| 49 | 110 | 612 | 48 | 71% | 40 | 36% | 8 | 3.4 |
| 50 | 5 | 30 | 2 | 100% | 2 | 40% | | 3.2 |
| 51 | 153 | 613 | 34 | 41% | 29 | 19% | 5 | 3.3 |
| 52 | 47 | 224 | 13 | 54% | 9 | 19% | 4 | 3.6 |
| 53 | 41 | 181 | 17 | 82% | 16 | 39% | 1 | 3.5 |
| 54 | 20 | 60 | 13 | 77% | 10 | 50% | 3 | 3.9 |
| 55 | 92 | 257 | 79 | 66% | 58 | 63% | 21 | 4.3 |
| 56 | 12 | 27 | 9 | 78% | 7 | 58% | 2 | 3.5 |
| 57 | 85 | 365 | 50 | 78% | 41 | 48% | 9 | 3.8 |
| 58 | 18 | 52 | 21 | 71% | 15 | 83% | 6 | 4.4 |
| 59 | 8 | 22 | 6 | 67% | 5 | 63% | 1 | 3.3 |
| UNK | 66 | 202 | 7 | 71% | 6 | 10% | 1 | 3.1 |
| TOTAL | 6,214 | 24,064 | 1,960 | 83.3% | 1,634 | 26% | 326 | 3.35 |

2014-15 New Mexico Fall Turkey Hunter Harvest Report- Statewide by GMU

| GMU | Hunters | Days Hunted | Harvest | Hunter Rating | Success Rates | Hens | Gobblers | Sept | Nov |
|-----|---------|-------------|---------|---------------|---------------|------|----------|------|-----|
| 2 | 49 | 156 | 17 | 3.3 | 35% | 10 | 7 | 3 | 14 |
| 4 | 4 | 8 | 0 | 3.3 | 0% | | | | |
| 5 | 13 | 38 | 5 | 2.8 | 38% | 2 | 3 | 1 | 4 |
| 6 | 312 | 1193 | 65 | 3.3 | 21% | 49 | 16 | 6 | 58 |
| 7 | 4 | 10 | 2 | 3.8 | 50% | 0 | 2 | 0 | 2 |
| 8 | 1 | 3 | 0 | 3 | 0% | | | | |
| 9 | 129 | 457 | 29 | 3.3 | 22% | 18 | 11 | 1 | 28 |
| 10 | 128 | 681 | 14 | 3 | 11% | 7 | 7 | 1 | 13 |
| 12 | 7 | 15 | 0 | 3 | 0% | | | | |
| 13 | 26 | 117 | 1 | 3 | 4% | 0 | 1 | 0 | 1 |
| 14 | 5 | 10 | 2 | 4 | 40% | 1 | 1 | 0 | 2 |
| 15 | 101 | 424 | 17 | 3.2 | 17% | 6 | 11 | 0 | 17 |
| 16 | 217 | 947 | 56 | 3.4 | 26% | 33 | 23 | 9 | 47 |

| | | | | | | | | | |
|--------------|--------------|--------------|------------|-------------|--------------|------------|------------|-----------|------------|
| 17 | 28 | 101 | 6 | 3.2 | 21% | 6 | 0 | 0 | 6 |
| 19 | 8 | 20 | 0 | 3 | 0% | | | | |
| 20 | 1 | 4 | 0 | 3 | 0% | | | | |
| 21 | 40 | 102 | 13 | 3.2 | 33% | 10 | 3 | 1 | 12 |
| 22 | 10 | 46 | 4 | 3.5 | 40% | 4 | 0 | 3 | 1 |
| 23 | 70 | 293 | 20 | 3 | 29% | 6 | 14 | 1 | 19 |
| 24 | 63 | 234 | 21 | 3.5 | 33% | 12 | 9 | 4 | 16 |
| 27 | 2 | 8 | 1 | 4 | 50% | 0 | 1 | 1 | 0 |
| 29 | 1 | 3 | 0 | 3 | 0% | | | | |
| 30 | 1 | 4 | 0 | 1 | 0% | | | | |
| 31 | 4 | 9 | 1 | 3.8 | 25% | 0 | 1 | 0 | 1 |
| 32 | 14 | 29 | 6 | 4.1 | 43% | 2 | 4 | 0 | 5 |
| 33 | 3 | 5 | 2 | 4.3 | 67% | 0 | 2 | 1 | 1 |
| 34 | 444 | 1385 | 145 | 3.4 | 33% | 104 | 41 | 8 | 136 |
| 36 | 95 | 333 | 27 | 3.2 | 28% | 18 | 9 | 3 | 24 |
| 37 | 71 | 213 | 22 | 3.2 | 31% | 13 | 9 | 0 | 22 |
| 38 | 2 | 6 | 0 | 3.7 | 0% | | | | |
| 39 | 3 | 7 | 0 | 2.7 | 0% | | | | |
| 40 | 4 | 15 | 2 | 3.2 | 50% | 1 | 1 | 0 | 2 |
| 41 | 5 | 20 | 2 | 4.2 | 40% | 0 | 2 | 0 | 2 |
| 42 | 10 | 21 | 5 | 3.1 | 50% | 4 | 1 | 0 | 5 |
| 43 | 4 | 7 | 1 | 3.3 | 25% | 1 | 0 | 1 | 0 |
| 44 | 1 | 2 | 0 | 4 | 0% | | | | |
| 45 | 108 | 400 | 31 | 3.1 | 29% | 18 | 13 | 3 | 28 |
| 46 | 19 | 50 | 7 | 3.6 | 37% | 5 | 2 | 1 | 6 |
| 47 | 4 | 13 | 2 | 4 | 50% | 0 | 2 | 0 | 2 |
| 48 | 18 | 74 | 2 | 3.4 | 11% | 1 | 1 | 0 | 2 |
| 49 | 3 | 7 | 1 | 3.3 | 33% | 0 | 1 | 0 | 1 |
| 51 | 11 | 44 | 1 | 3.2 | 9% | 1 | 0 | 0 | 1 |
| 52 | 5 | 20 | 1 | 2.2 | 20% | 0 | 1 | 0 | 1 |
| 53 | 2 | 5 | 0 | 3.5 | 0% | | | | |
| 54 | 2 | 10 | 1 | 4 | 50% | 1 | 0 | 0 | 1 |
| 55 | 5 | 12 | 2 | 3.8 | 40% | 0 | 2 | 0 | 2 |
| 56 | 1 | 2 | 1 | 4 | 100% | 1 | 0 | 0 | 1 |
| 57 | 27 | 112 | 14 | 3.9 | 52% | 8 | 6 | 1 | 13 |
| 58 | 1 | 25 | 1 | 5 | 100% | 1 | 0 | 1 | 0 |
| 59 | 2 | 4 | 0 | 4.5 | 0% | | | | |
| UNK | 25 | 78 | 6 | 2.5 | 24% | 2 | 4 | 0 | 6 |
| TOTAL | 2,113 | 7,782 | 555 | 3.30 | 26.3% | 345 | 210 | 50 | 505 |